No.



8500069

THE DAILHED STRAILES OF ANTERRICA

<u> PO AVIL TO WHOM THESE; PRESENTS; SHAYA: COME;</u>

Deikalb-Pfizer Genetics

Talherens, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

CORN

'HBA1'

In Testimony Winexcot, I have hereunto set my hand and caused the seal of the Plant Variety Exotection Office to be affixed at the City of Washington, D. C. this 30th day of September in the year of our Lord one thousand nine hundred and eighty-six.

Vielo of E, Typ Secretary of Agriculture

Allosh.

Kenneth HE Tand Commissioner Plant Variety Participe Olice

Plant Variety Protection Office Agricultural Marketing Service

-

| U.S. DEPARTMENT OF AGRICULTURE | Ε |
|--------------------------------|---|
| AGRICULTURAL MARKETING SERVIC | |
| WAREHOUSE & SEED DIVISION | |

Application is required in order to determine

| APPLICATION FOR PLANT VAR | IETY PROTE | CTION CERTIFICATE | be iss | plant variety protection certificate is to sued (7 U.S.C. 2421). Information is confidential until certificate is issued S.C. 2426). |
|---|---------------------------------------|---|-------------------|---|
| 1. NAME OF APPLICANT(S) | | 2. TEMPORARY DESIGNATION | } - | ARIETY NAME |
| DeKalb-Pfizer Genetics | | HBA1 | H | BA1 |
| 4. ADDRESS (Street and No. or R.F.D. No., City, Sta | ite, and Zip Code) | 5. PHONE (Include area code) | | FOR OFFICIAL USE ONLY |
| 3100 Sycamore Road DeKalb, Illinois 60115 | | 815-756-3671 | PVPC | O NUMBER |
| | | 013 730 3071 | | 8 5 000 69 |
| 6. GENUS AND SPECIES NAME | 7. FAMILY NA | ME (Botanical) | _G | 2/21/85 |
| Zea Mays | Gramineae | 2 | FILING | TIME 2:30 A.M. XP.M. |
| 8. KIND NAME | 9. | DATE OF DETERMINATION | <u> </u> | AMOUNT FOR FILING |
| Corn | | Fall 1982 | RECEIVED | s 1,800 DATE 2/21/85 |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) | N," GIVE FORM | OF ORGANIZATION (Corporation, | FEES REC | AMOUNT FOR CERTIFICATE \$ 200.00 |
| General Partnership | | | 34 | DATE Leate 4 1986 |
| 11. IF INCORPORATED, GIVE STATE OF INCORPORT \mathbb{N}/\mathbb{A} | PRATION | | 12. C | DATE OF INCORPORATION |
| 13. NAME AND ADDRESS OF APPLICANT REPRES | SENTATIVE(S) | E ANY TO SERVE IN THIS ARRIVE | ATIO | N AND BECEIVE ALL BARERS |
| (212) 573-2369 14. CHECK APPROPRIATE BOX FOR EACH ATTAC a. Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection Act | Variety (See | | escripti | ion of the Varicty (Request form |
| b. Exhibit B, Novelty Statement d. Exhibit D, Additional Description of the Variety EXHIBIT E, OWNERSHIP STATEMENT | | | FRENIP STATEMENT | |
| 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME SEED? (See Section 83(a) of the Plant Variety Protection Act.) Yes (If "Yes," answer it | | | | |
| 16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS? | VARIETY BE | 17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEE | HICH O7 | CLASSES OF PRODUCTION |
| Yes X No Foundation | | | Re | egistered Certified |
| 18. DID THE APPLICANT(S) FILE FOR PROTECTIO | N OF THE VARI | ETY IN THE U.S. ? | | Yes (If "Yes," give date) |
| | | | | ∑ ¾ No |
| 9. HAS THE VARIETY BEEN OFFERED FOR SALE | OR MARKETED | IN THE U.S. OR OTHER COUNTR | ES? | Yes (If "Yes," give names of countries and dates) |
| · | | | - | No |
| The applicant(s) declare(s) that a viable sampl plenished upon request in accordance with suc | e of basic seeds th regulations as | of this variety will be furnished to may be applicable. | with t | he application and will be re- |
| The undersigned applicant(s) is (are) the owne distinct, uniform, and stable as required in Sec Variety Protection Act. | r(s) of this sexu | ially reproduced novel plant varie | ety, ar provis | nd believe(s) that the variety is sions of Section 42 of the Plant |
| Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties. | | | | n penalties. |
| SHATURE OF APPLICANT GNATURE OF APPLICANT OF APPLICANT | Pars | DENT | (| FEBWANY 19, 1985 TE |
| 7 | | | | |

Exhibit A. Origin and Breeding History of the Variety.

Origin and Breeding History of Dent Corn Inbred HBA1

| Summer | 1977 | The cross of hybrids 3195 x 3199, both commercially available from Pioneer HiBred, was made at Windfall, Indiana. 3199 was the female (range 171 row 61) and 3195 was the male (panel 179). |
|--------|---------|---|
| Winter | 1977-78 | The above seed was grown in Hawaii; the plants were selfed one generation and the resulting seed was used in the next generation. |
| Summer | 1978 | Approximately 600 plants were grown in 16 rows at St. Louis, Missouri. Thirty-five self-pollinated ears were saved. (Range 16 rows 67-82.) |
| Winter | 1978 | Thirty-five ear-rows were grown. Four self-pollinated ears were saved from ear one. (Range 130 row 10.) |
| Summer | 1979 | Four ears were grown at St. Louis, Missouri. One self-pollinated ear was saved from ear one. (Range 8 row 34.) |
| Winter | 1980 | One ear was grown. Two self-pollinated ears were saved from ear one. (Range 311 row 40.) |
| Summer | 1981 | Two ears were grown at St. Louis. Seven self-pollinated ears were saved from ear one. (Range 80 row 35.) Test crosses were made to B73, PA91, and W72628. |
| Winter | 1981 | Three ears were grown. Six self-pollinated ears were saved from ear one. (Range 293 row 33.) |
| Summer | 1982 | Six ears were grown at St. Louis. Twelve ears were saved from ear one to bulk and to name HBA1. (Range 203 row 31.) Test crosses made in 1981 were grown and new test crosses with TS7057 and TS7075 were made. |

The initial cross of 3195 with 3199 was made at the request of Dr. A. F. Troyer and subsequent selection with segregating generation was made by him.

The corn inbred HBA1 is uniform for all traits.

A. FORREST TROYER Vice President

STATEMENT OF UNIFORMITY

This inbred was assigned the code HBAl after eight generations of selfing and was judged uniform for breeding use. HBAl has been reproduced and judged uniform for breeding use in winter and summer programs for an additional six generations.

A. FORREST TROYER Vice President 03370/4/002 DEKAIB-PFIZER GENETICS

Applicant

HBA1, Exhibit A, Appendium I

EOX 357

ILLICPOLIS II 62539

TEST Date NOVEMBER 02, 1984

Test No. 404710

Lot No. 230923

Kind & Variety (Producers Declaration)

FOUNDATION

AF389

CORN

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASET ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

| Germination | % | Strong | % | Cold Test | % |
|-------------|---|-------------------|---|-------------|---|
| Hard Seed | % | Pod & Stem Blight | % | A-A Test | % |
| Dead Seed | % | Other Diseases | % | Tetrazolium | % |

PURITY REPORT:

| Pure Seed | % | Test Weight | LBS. |
|--------------------|-----|----------------------------|---------------|
| Weed Seeds | % | | |
| Other Crop Seeds | . % | Moisture | 11.10% |
| Total Inert Matter | % | | |
| Broken Seed | % | Total Weight of Sample Exa | mined: 500.00 |
| Other Inert | % | • | C 20 . 2 2 |
| | | Dockage from 1.000 grams: | |

| Noxious Weeds | Other Weed Seeds |
|------------------|------------------|
| NONF FCUND | NONE FOUND |
| | |
| Other Crop Seeds | inert Matter |
| NONE FOUND | |

REMARKS:

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

'VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

Managor

Exhibit B. Novelty Statement

HBA1 is a yellow dent corn inbred that can best be described as having an inbred Ohio 7 background.

The public line that is most similar to HBA1 is PA91. HBA1 is statistically different from PA91 in ear height (134.7 vs 132.2), tassel branch number (8.9 vs 16.0) and tassel branch angle (28.3 $^{\circ}$ vs 42.3 $^{\circ}$). (See Exhibit B, Appendium I).

Additional distinguishing differences are: the kernel row of HBA1 is more distinct than PA91 and the kernel row of HBA1 is straighter than PA91. (See Exhibit B, Appendium II).

HBA1


Exhibit B. Novelty Statement

Appendium I.


HBA1 vs PA91


| Ear Characteristics | HBA1 | PA91 | Testing Hypothesis Ho: M ₁ = M ₂ H _A : M ₁ + M ₂ |
|-------------------------------|---------------------------------|--------------------------|--|
| 1. Ear Length (cm) | $\overline{X}_1 = 16.6$ | $\overline{X}_2 = 17.1$ | Not Significant ($\angle = 0.10$) |
| 2. Ear Diameter (cm) | $\overline{X}_1 = 4.1$ | $\overline{X}_2 = 3.9$ | Not Significant (\ll = 0.10) |
| 3. Ear Weight (gm) | $\overline{X}_1 = 134.7$ | $\overline{X}_2 = 132.2$ | Significant ($\ll = 0.10$) |
| 4. Tassel Branch | $\overline{X}_1 = 8.9$ | $\overline{X}_2 = 16.0$ | Significant (|
| 5. Number of Kernel Rows | $\overline{X}_1 = 16.9$ | $\overline{X}_2 = 15.4$ | Not Significant ($\alpha = 0.10$) |
| 6. Tassel Branch Angel (°) | $\overline{X}_1 = 28.3^{\circ}$ | $\overline{X}_2 = 42.3$ | Significant ($\mathcal{L} = 0.10$) |
| 7. Silk Color | Violet | Yellow | |

- 1) $\eta_1 = \eta_2 = 100$
- 2) Detailed calculations for this and other information are available.



14B. Exhibit B. Novelty Statement, Appendium II.





 ${\it HBA1}$ and PA91 have a dent kernel. The cob color of HBA1 and PA91 is red. However, cob strength of HBA1 is significantly stronger than PA91.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

CORN (ZEA MAYS) HBA1 NAME OF APPLICANT(S) FOR OFFICIAL USE ONLY 8500069 DeKalb-Pfizer Genetics
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) VARIETY NAME OR TEMPORARY 3100 Sycamore Road DESIGNATION DeKalb, Illinois 60115 Place the appropriate number that describes the varietal character of this variety in the boxes below. Place a zero in first box (e.s. 0 8 9 or 0 9) when number is either 99 or less or 9 or less. 1. TYPE: 2 1 = SWEET 2 = DENT 6 = ORNAMENTAL 5 = POP 3 = FLINT 4 = FLOUR 2. REGION WHERE BEST ADAPTED IN THE U.S.A.: 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 4 = SOUTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS 3. MATURITY (In Region of Best Adaptability): (Under "comments" (pg. 3) state how heat units were calculated) DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK 1 HEAT UNITS 6 4 4 6 Α DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY **HEAT UNITS** NA DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE 1 5 2 HEAT UNITS 4. PLANT: CM, EAR HEIGHT (To base of top ear) CM, HEIGHT (To tassel tip) CM. LENGTH OF TOP EAR INTERNODE **Number of Tillers:** Number of Ears Per Stalk: 2 = SLIGHT TWO-EAR TENDENCY 1 = SINGLE 1 = NONE 3 = STRONG TWO-EAR TENDENCY 4 = THREE-EAR TENDENCY Cytoplasm Type: 1 = NORMAL 3 = "S" 4 = "C" 5 = OTHER (Specify) 5. LEAF (Field Corn Inbred Examples Given): Color: 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GREEN (B14) 4 = VERY DARK GREEN (K166) Angle from Stalk (Upper half): Sheath Pubscence: 2 = MEDIUM (WF9) 1 = < 30° 2 = 30-604 1 = LIGHT (W22) 3 = HEAVY (OH26) Marginal Waves: **Longitudinal Creases:** 1 = NONE (HY) 3 = MANY (OH7L) 1 = ABSENT (OH51) 2 = FEW (WF9) 2 = FEW (OH56A) 3 = MANY (PA11) Width: Length: CM. WIDEST POINT OF EAR NODE LEAF CM, EAR NODE LEAF NUMBER OF LEAVES PER MATURE PLANT

| Control of the following sky of a few first and a sky flywheat to a sky first one of the | 8500069 NAME OF THE PARTY OF TH |
|--|--|
| 6. TASSEL: | |
| 0 9 NUMBER OF LATERAL BRANCHES | |
| The second of th | · · · · · · · · · · · · · · · · · · · |
| Branch Angle from Central Spike: | Penduncle Length: |
| 1 = < 30° 2 = 30-40° 3 = > 45° | CM. FROM TOP LEAF TO BASAL BRANCHES |
| Pollen Shed: | For the control of a magnetic control of a second wave ex- |
| 3 1 = LIGHT (WF9) 2 = MEDIUM | and the state of t |
| 1 = LIGHT (WF9) 2 = MEDIUM | 3 = HEAVY(KY21) (#35,25) 3 = HEAVY(KY21) (#35,25) |
| 1 = YELLOW 2 = PINK Glume Color: 6 = OTHER (Specify) | |
| Pollen Restoration for Cytoplasms (o = Not Tested, 1 = Partial, 2 = Go | in the second of |
| | |
| 0 "s" 0 "c" or | THER (Specify Cytoplasm and degrees of restoration) |
| tunified the tendent | |
| 7. EAR (Husked Ear Data Except When Stated Otherwise): | |
| | en e |
| 17 CM LENGTH 41 MM, MID-POINT DIAMETER | 1 3 5 GM. WEIGHT |
| Kernel Rows: | |
| 1 = INDISTINCT 2 = DISTINCT | 1 6 NUMBER |
| | in the second of |
| 1 = STRAIGHT 2 = SLIGHTLY CURVED | 3= SPIRAL A SECOND STANDARD CONTRACTOR |
| Silk Color (Exposed at Silking Stage): | |
| | A CONTROL OF THE CONT |
| 1 = GREEN 2 = PINK 3 = SALMON | <u> </u> |
| The Colors | |
| Husk Color: 7 FRESH 1 1 = LIGHT GREEN | A STATE OF THE STA |
| 1 = LIGHT GREEN | 2 = DARK GREEN A STANS AND STANS AN |
| 6 DRY 4 = RED 5 = PU | RPLE 6=BUFF 7. Other Med. Green |
| Husk Extention: (Harvest Stage) | Husk Leaf: |
| 2 1 = SHORT (Ears Exposed) 2 = MEDIUM (Barely Covering Ear) 3 = LONG (8-10CM Beyond Ear Tip) 4 = VERY LONG (> 10 CM) | 1 = SHORT (< 8 CM) 2 = MEDIUM (8-15 CM) 3 = LONG (> 15 CM) |
| | Position at Dry Husk Stage: |
| 10 cm Long 7 NO. OF INTERNODES | 1 = UPRIGHT 2 = HORIZONTAL 3 = PENDENT |
| Taper: | Drying Time (Unhusked Ear): |
| 2 1 = SLIGHT 2 = AVERAGE 3 = EXTREME | 1 1 = SLOW 2 = AVERAGE 3 = FAST |
| 8. KERNEL (Dried): | |
| Size (From Ear Mid-Point): | |
| 1 0 MM LONG 0 8 MM. WIDE 0 | T4 |
| Shape Grade (% Rounds) | <u>I </u> |
| 1 = < 20 | 4 4 00 00 00 00 00 00 00 00 00 00 00 00 |

| 8. KERNEL (Dried): | | | | |
|---|--|--|--|----------------------------|
| 5 = BRC | · i | RED-WHITE CROWN | 3 = TAN 4 = 7 = CHERRY RED | BRONZE |
| | _ | ≈ SEGREGATING (Describe |) | |
| | INK 3=TAN ALE PURPLE 9 | 4 = BROWN = VARIEGATED (Describe) | • | RONZE 6 = RED |
| 3 Endosperm Color: 1 = V | VHITE 2 ≈ PÄLE YEL | LOW 3 = YELLOW | 4 = PINK-ORANGE | 5 = WHITE CAP. |
| 7 | 2 = EXTRA SWEET (sh2 6 = HIGH PROTEIN Jnsized Sample) | 3 = NORMAL ST 7 = HIGH LYSIN | e - OTUER | MYLOSE STARCH (Specify) |
| 9. COB: 2 0 MM. DIAMETER AT MID-PO | | | | · |
| Strength: 2 1 = WEAK 2 = STRO | DNG | Color: 1 = WHITE : 5 = VARIEGATE | | 4 = BROWN pecify) |
| 10. DISEASE RESISTANCE (O = Not Test | ed, 1 = Susceptible, 2 = Res | istant); | | |
| O STALK ROT (Diplodia) 2 NORTHERN LEAF BLIGHT (Race 1 and 2) SOUTHERN RUST O BACTERIAL LEAF BLIGHT 2 OTHER (Specify) H. Ca: Race 11. INSECT RESISTANCT (O = Not Tested | 2 SOUTHE (Rac (CORN SM 0 MAIZE D CDONUM 2 H. Ca | owarr mosaic arbonum Race 3 | О змит | OT (Gibberella) AL WILT |
| 2 cornborer (1st Brood) ROOTWORM (Northern) ROOTWORM (Southern) | 0 EARWORM 0 ROOTWORM (West 2 OTHER (Specify) | 0 sal | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | O APHID |
| 12. VARIETIES MOST CLOSELY RESEMB | LING THAT SUBMITTED | FOR THE CHARACTERS O | IVEN: | |
| CHARACTER | VARIETY | CHARACTER | | VARIETY |
| Maturity Plant Type | PA91 | Kernel Type | la) | PA91 |
| Ear Type | PA91 PA91 | Quality (Edib | le) | |
| REFERENCES: U.S. Department Agriculture, Corn: Culture, Processing, Proc Emerson, R.A., G.W. Beadle, ar The Mutants of Maize, 1968. | Yearbook 1937. lucts. 1970 Avi Publishing d A.C. Fraser. A Summary Crop Science Society of Am | of Linkage Studies in Maize, erica. Madison, Wisconsin. | ticut. (Numerous (Author | |
| Stringfield, G.H. Maize Inbred I Butler, D.R. 1954 – A System | | | is Ohio State University | |
| COMMENTS: Heat Unit Ca | | Thes | is, Cino State University, | |
| GDD = Daily Max. | | -Daily Min. Tem | no (>50°F) | 50°₽ |

FORM LPGS-470-28 (3-79)

Exhibit D

Additional Description of the Variety

The Isozyme analysis of HBA1 and PA91 shows genetic differences at three different loci: Acph - 2 vs. 4, IdhB - 6 vs. 4, and PhI - 5 vs. 4.

(See Exhibit D, Appendium I).

Comment

This observation is based on preliminary results and the final Isozyme results will be submitted later.

Exhibit D.

Additional Description of the Variety

Appendium I

Isozyme Genotypes of HBA1

| | Alleles Present | | | |
|---------------------|-----------------|-----|------------------------------------|--|
| Locus | HBA1 | B73 | PA91 | |
| ACPH | 2 | 2 | 4 | |
| ADH | 4 | 4 | 4 | |
| Cat | 9 | 9 | 9 | |
| EP | 6 | 6 | 6 | |
| GOT U | 4 | . 4 | 4 | |
| GOT M | 4 | 4 | 4 | |
| GOT L | 4 | 4 | 4 | |
| B-G1u | 6 | 7 | 7 | |
| MDH A | 6* | 6* | 6* | |
| MDH B | 6 | 3.5 | 3.5 | |
| MDH C | 16 | 16 | 16 | |
| MDH D | 12 | 12 | 12 | |
| MDH E | 12 | 12 | 12 | |
| PGM A | 9 | 9 | 9 | |
| PGM B | 4 | 4 | 4 | |
| PHI | 5 | 4 | 4 | |
| # of plants assayed | 81 | 6 | 6 349 900 24 pp [p. j.j. | |

^{*} Allele is probably 6 but null cannot be ruled out.

The technique of using isozymes for genotyping or "fingerprinting" is described by the following reference:

Goodman, M.M. and C. M. Stuber. 1980
Genetic identification of lines and crosses using isoenzyme electrophoresis. Proceedings of the Thirty-fifth Annual Corn and Sorghum Industry Research Conference.

LAW OFFICES

SUGHRUE, MION, ZINN, MACPEAR & SEAS

1776 K STREET, N. W.

WASHINGTON, D. C. 20006-2359

TELEPHONE (202) 293-7060

CABLE ADDRESS LEXPAT WASHINGTON

TELEX 248503

FACSIMILE (202) 293-7860

February 21, 1985

EXHIBIT E

OF COUNSEL SHELDON 1. LANDSMAN, P. C.

GORDON KIT SUSAN M. JOVANOVICH

PETER D. OLEXY, P. C.
J. FRANK OSHA
WADDELL, A. BIGGART, P. C.
ROBERT G. McMORROW, P. C.
LOUIS GUBINSKY, P. C.
NEIL B. SIEGEL
DAVID J. CUSHING
CYNTHIA CLARKE DALE
JOHN R. INGE#
JOHN K. DONAGHY^A
JOSEPH J. RUCH, JR.
KARL BOZICEVIC
RICHARD C. TURNER
ROBERT D. LITOWITZ
CHRIS COMUNTZIS
RONALD I. EISENSTEIN
KENNETH J. BURCHFIEL
CHARLES S. P. GUENZER
WILLIAM M. WANNISKY
GORDON KIT

RICHARD C. SUGHRUE, P. C.

RICHARD C. SUGHRUE, P. C.
JOHN H. MION, P. C.
DONALD E. ZINN, P. C.
THOMAS J. MACPEAK, P. C.
ROBERT J. SEAS, JR., P. C.
DARRYL MEXIC, P. C.
ROBERT V. SLOAN, P. C.*
PETER D. OLEXY, P. C.
J. FRANK OSHA
MADDELL A BIGGART B. C.

*MD; #MA; △VA; °PA, VA

Plant Variety Protection Office United States Department of Agriculture AMS-USDA Room 500 -- National Agricultural Library Building Beltsville, Maryland

> Plant Variety Protection Certificate Application Hybrid Inbred Corn Line HBA1

Dear Sirs:

Dr. A. Forrest Troyer, breeder of corn line HBA1, was from 1977 through July 14, 1982, a full-time employee of Pfizer Genetics, Inc. DeKalb Pfizer Genetics, a general partnership between DeKalb AgResearch, Inc. and Pfizer Genetics, Inc., succeeded on July 15, 1982, to substantially all of the assets of Pfizer Genetics, Inc., including all rights to HBA1. From July 15, 1982, to the present, Dr. Troyer has been a full-time employee of DeKalb Pfizer Genetics.

Very truly yours,

Waddell A. Biggart